

RECEIVED
CENTRAL FAX CENTER
MAY 12 2009

In the Claims:

Kindly amend the claims as follows.

1. (Withdrawn) A tray connecting apparatus comprising:
a flexible plastic strip having a central, longitudinal living hinge, the strip having one or more tray holder clips connected to each other, each tray holder clip having opposite tray engagement sides projecting laterally from the central living hinge,
the tray engagement sides having end connectors for fitting mounting recesses in tray edges,
the end connectors having split aligning projection receivers at extremities for receiving aligning projections on the tray edge mounting recesses, and the tray holder clips having openings for receiving securing projections in the tray edge recesses.
2. (Withdrawn) The apparatus of claim 1, further comprising at least one tray having a connecting edge with mounting recesses and aligning projections in ends of the mounting recesses and securing projections in the recesses.
3. (Withdrawn) The apparatus of claim 2, wherein the mounting recesses are dovetail shaped mounting recesses and are narrower at the connecting edge and are wider inward in the tray.
4. (Withdrawn) The apparatus of claim 3, wherein the aligning projections extend inward from outer corners of the dovetail shaped mounting recesses.
5. (Withdrawn) The apparatus of claim 2, wherein the securing projections comprise projections with enlarged detent ends for fitting in the openings and cooperating with the internal shapes in the openings.
6. (Withdrawn) The apparatus of claim 2, wherein the at least one tray has two spaced mounting recesses.
7. (Withdrawn) The apparatus of claim 2, further comprising at least one end tray having a mounting edge with mounting recess connected to a tray holder clip.

10/776, 328

RECEIVED
CENTRAL FAX CENTER

MAY 12 2009

8. (Withdrawn) The apparatus of claim 7, wherein the end tray has inward extending literature clips near an edge opposite the mounting edge for holding pamphlets, booklets and literature.

9. (Withdrawn) The apparatus of claim 2, further comprising opposite first and second end trays.

10. (Withdrawn) The apparatus of claim 9, wherein the at least one end tray comprises a deep tray having a connecting edge with mounting recesses with aligning projections and securing projections near a top of the deep tray.

11. (Withdrawn) The apparatus of claim 2, wherein the securing projections and the detents cooperate with the holes and the snaps for locking the holder clips inward and for holding the receivers laterally outward for engaging the aligning projections.

12. (Withdrawn) The apparatus of claim 2, wherein the at least one tray has a depression with a central rosette for holding a media disc.

13. (Withdrawn) The apparatus of claim 12, further comprising a rim around the at least one tray and lugs along edges of the rim for holding a graphic card on a side of the tray opposite the depression.

14. (Withdrawn) The apparatus of claim 2, wherein the at least one tray has opposite depressions with opposite rosettes for holding two media discs on opposite sides of the at least one tray.

15. (Withdrawn) The apparatus of claim 2, wherein the at least one tray further comprises:

plural trays with first and second opposite end trays,
the trays having free edges opposite the connecting edges,
the first end tray having a first connector on the free edge,
a flexible fastener strip having first and second ends, the first end connected to the second end tray and having at the second end a complementary second connector for selectively

10/776,328

connecting with and disconnecting from the first connector for opening and closing the trays.

16. (Withdrawn) The apparatus of claim 15, wherein the free edges of the plural trays have aligned fastener recesses, and wherein the flexible fastener strip lies within the aligned fastener recesses when the first and second connectors are connected.

17. (Withdrawn) The apparatus of claim 15, wherein the first tray has a flap aligned with the aligned fastener recesses and wherein the first connector is on the flap.

18. (Withdrawn) The apparatus of claim 15, wherein the second end tray has a central recess extending along a surface remote from the first end trays.

19. (Withdrawn) The apparatus of claim 18, wherein the central recess has a series of holes, and wherein the fastener strip has a hook on the first end for selectively engaging with one of the holes.

20. (Withdrawn) The apparatus of claim 2, wherein the at least one tray further comprises plural trays with first and second opposite end trays, the trays having free edges opposite the connecting edges, the first end tray having a first connector on the free edge, a flexible fastener strip having first and second ends, the first end connected to the second end tray and having at the second end a complementary second connector for selectively connecting with and disconnecting from the first connector for opening and closing the trays, connecting with and disconnecting from the first connector for opening and closing the trays, a book-like cover comprising a front panel, back panel and a flexible spine, and the stack of trays further comprising first and second end trays, respectively, connected to the front panel and to the back panel.

21. (Canceled)

22. (Currently amended) A package comprising:

a stack of individual trays,

one or more sets of mounting recesses along an edge of each individual tray,

one or more sets of clips,

10/776, 328

wherein the number of sets of clips corresponds to the number of mounting recesses on the individual trays,
wherein individual clips in each set are hinged relative to one another, and
wherein the individual clips have connectors for connecting the clips to the trays,
wherein the connectors on the one or more sets of clips bend inwards lengthwise along
around a central longitudinal axis of the clips for inserting into the one or more mounting recesses on the edges of the trays.

23. (Previously presented) The apparatus of claim 22, wherein after the bent clips are inserted into the mounting recesses, pressure is applied to an exposed surface until the clips return to their initial configuration and for locking the clips into the mounting recesses.

24. (Previously presented) The apparatus of claim 22, wherein the clips have holes with detents for engaging projections in the mounting recesses.

25. (Previously presented) The package of claim 22, wherein the one or more clips are plastic.

26. (Previously presented) The package of claim 22, wherein the one or more clips have generally trapezoidal shapes with triangles removed from a longer side surface for bending the one or more clips along the longitudinal axis.

27. (Previously presented) The package of claim 22, wherein the one or more clips are hinged to one another by living hinges.

28. (Previously presented) A package comprising:
a stack of individual trays,
one or more sets of mounting recesses along an edge of each individual tray,
one or more sets of clips,
wherein the number of sets of clips corresponds to the number of mounting recesses on the individual trays,

wherein individual clips in each set are hinged relative to one another, and

10/776, 328

wherein the individual clips have connectors for connecting the clips to the trays,
wherein the one or more clips are hinged to one another by living hinges,
wherein anti-tear hinge ribs extending across ends of the living hinges.

29. (Previously presented) A package comprising:

a stack of individual trays,

one or more sets of mounting recesses along an edge of each individual tray,

one or more sets of clips,

wherein the number of sets of clips corresponds to the number of mounting recesses on
the individual trays,

wherein individual clips in each set are hinged relative to one another, and

wherein the individual clips have connectors for connecting the clips to the trays,

wherein the one or more sets of clips bend along a longitudinal axis for inserting into the
one or more mounting recesses on the edges of the trays, wherein the mounting recesses and clips
have complementary dovetail shapes, and further comprising locking ribs projecting inward from
ends of the mounting recesses on the individual trays and complementary grooves on ends of the
one or more clips for receiving and holding the locking ribs.

30. (Withdrawn) The package of claim 21, wherein a front or back or both sides of
the individual trays hold compact discs, DVDs, digital media, descriptive booklets or other
material.

31. (Withdrawn) The package of claim 21, wherein the individual trays have edge
flanges and recessed edges for receiving flanges of a next adjacent tray for avoiding sliding
movement of the trays relative to one another.

32. (Withdrawn) The package of claim 21, wherein leafing through individual trays
raises subsequent individual trays.

33. (Withdrawn) A package comprising:

a stack of one or more trays,

10/776,328

the stack of trays further comprising first and second end trays, respectively, connected to the front panel and to the back panel,
one or more sets of mounting recesses along mounting edges of each individual tray,
one or more sets of hinged clips for connecting to the trays,
wherein the sets of clips correspond in number to the mounting recesses on the individual trays,
wherein the one or more sets of clips bend along a central axis for inserting into the one or more mounting recesses on the edges of the trays,
wherein after the bent clips are inserted into the mounting recesses, pressure is applied to exposed surfaces of the clips until the clips return to their initial configuration and the clips lock into the mounting recesses.

34. (Withdrawn) The apparatus of claim 33, wherein the clips and the mounting recesses have complementary dovetail shapes, and wherein the one or more sets of clips bend along a central axis for inserting into the one or more mounting recesses on the edges of the trays, and wherein the clips lock in the mounting recesses as the dovetail shaped clips return to their initial configuration.

35. (Withdrawn) The package of claim 33, wherein the front panel and back panel are cardboard or binder's board.

36. (Withdrawn) The package of claim 35, wherein the front panel and back panel are multiple layers of cardboard or binder's board.

37. (Withdrawn) The package of claim 36, wherein the flexible spine is sandwiched between the multiple layers of cardboard or binder's board on the front and back panel, anchoring the spine between the front panel and back panel.

38. (Withdrawn) The package of claim 33, wherein the front panel and back panel are printed with graphics.

39. (Withdrawn) The package of claim 33, further comprising one or more pockets

10/776,328

for holding paper, brochures, or other documents in at least one of a first and second end tray.

40. (Withdrawn) The package of claim 39, wherein the one or more pockets are located on the inside surfaces of the end tray connected to the front panel or to the back panel.

41. (Withdrawn) The package of claim 33, further comprising cutouts in the flexible spine for attaching the flexible spine to the stack of trays.

42. (Withdrawn) The package of claim 41, wherein the cutouts are two parallel strips for each clip used.

43. (Withdrawn) The package of claim 33, wherein the one or more clips are plastic.

44. (Withdrawn) The package of claim 33, wherein the one or more clips have generally trapezoidal shapes with triangles removed from a longer side surface for bending the one or more clips along the longitudinal axis.

45. (Withdrawn) The package of claim 33, wherein the one or more clips are hinged to one another by living hinges.

46. (Withdrawn) The package of claim 45, further comprising anti-tear hinge ribs extending across ends of the living hinges.

47. (Withdrawn) The package of claim 33, wherein the mounting recesses and clips have complementary dovetail shapes, and further comprising locking ribs projecting inward from ends of the mounting recesses on the individual trays and complementary grooves on ends of the one or more clips for receiving and holding the locking ribs.

48. (Withdrawn) The package of claim 33, wherein a front or back or both sides of the individual trays hold compact discs, DVDs, digital media, descriptive booklets or other material.

49. (Withdrawn) The package of claim 33, wherein the individual trays have edge flanges and recessed edges for receiving flanges of a next adjacent tray for avoiding sliding movement of the trays relative to one another.

50. (Withdrawn) The package of claim 33, wherein leafing through individual trays

10/776, 328

raises subsequent individual trays.

51. (Withdrawn) A method of making a package comprising:
providing a stack of individual trays with one or more mounting recesses on an edge of
the stack of trays,
providing one or more clips, wherein the clips are flexible along a longitudinal axis,
bending clips along the longitudinal axis,
inserting the bent clips into the mounting recesses on the individual trays,
pressing on an exposed surface of the bent clips until the clips return to their initial
unbent position.

52. (Canceled)

53. (Withdrawn) The apparatus of claim 1, further comprising openings having
internal snaps for cooperating with detents on the securing projections for holding the
engagement sides inward with the end connectors and receivers extending outward

54. (Withdrawn) The apparatus of claim 33, further comprising a book-like cover
comprising a front panel, back panel and a flexible spine,